

QUARTZ SURFACES

**EXQUISITE DESIGN TO ENRICH
YOUR UNIQUE SPACE**



2021 COLLECTION

www.linnstone.com



EXPLORE MORE ONLINE AT
www.linnstone.com

info@linnstone.com
630-755-5466 (630-755-LINN)
955 Sivert Drive, Wood Dale, IL 60191 USA



COMPANY PROFILE



Linnstone delightedly brings premium quartz surfaces to enrich your unique space. Every piece of linnstone quartz surface is carefully produced and inspected to meet and exceed customers' expectations by blending high-quality natural quartz with resin and pigments. Distinctive and diversified design style provides you with more choices of decorative effects. Linnstone quartz surfaces can be applied for residential and commercial interior decoration including kitchen countertops, bathroom vanities, office tables, wall panels, tiles, and more.

Rely on its advanced production lines, Linnstone is striving to produce the best quartz surfaces. Linnstone quartz surfaces have already been tested and certified by a trusted third party for products certification to ensure the final consumer's maximum safety and are backed by a Commercial 10-year Limited Warranty and a Residential Lifetime Warranty.

If you're looking for a durable yet sophisticated stone design, linnstone quartz surfaces would be your perfect choice.



6033 Golden Punaluu

ADVANTAGES

Linnstone quartz surfaces are durable and nonporous. Thanks to its physical and chemical properties, it guarantees maximum hygiene and safety. Get benefit from timeless performance and appearance.

1. Non-porous

Impenetrable to air, water, or other fluids for lasting quality

2. Durable

Durability as its high resistance to abrasion, heat, compression, and corrosion

3. Enduring Quality

Linnstone quartz surfaces use high-quality natural quartz, offering our warranty assurance

4. Easy to Clean & Care

General surface stains can be removed with water and mild cleaning products

5. Hygienic

High resistance to bacteria, mold, and mildew growth and remains safe and clean

6. Stain Resistance

Stain resistance and perfect for a quick clean up and low maintenance

7. Scratch Resistance

Highly resistant to scratches and not susceptible to scrapes



APPLICATIONS

We know that selecting the right quartz surfaces for your home can be quite challenging. Linnstone quartz surfaces present extreme durability and elegance in living spaces where traffic and daily use is high. It can be used for the following applications:



Countertops



Vanity Tops



Shower Panels



Table Tops



Floorings



CALLIGRAPHY COLLECTION

Exuding the vibe of Tuscan-style Italy of the dramatic cascading white base surface with exquisite and luxurious veins that make for a modern finish for any kitchen and bathroom design, Calligraphy Collection creates a sense of movement and sophistication to a space in aesthetic experience.

6022 Punaluu



Featured Colors**6022 Punaluu**

A snow-white base with graphite black veins penetrates the whole slab. Black silky grains of sand meander and stretch with shining brightly that adds charming and mysterious sense to the surface.

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega


Thickness: 20 MM, 30 MM



SLAB



PARTIAL





PARTIAL



SLAB

Featured Colors

6033 Golden Punaluu

A stunning delicate quartz surface characterized by waves of a white base with golden veins spanning across the whole slab. Glittering under the sunshine, the golden surface with fish-scales seawater lines highlights its elegance and generosity.

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





PARTIAL



Featured Colors

6073 Eiger Mist

Thin mist surrounds the Eiger mountains related to roaming in a wonderland. The Eiger looms through the mist, partly hidden and partly visible like a fairyland or a fantasy lingering in dreams. Eiger Mist is a quiet white surface sketched by light gray with a brown edge sinuate veins radiating from all directions.

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM

SLAB





Featured Colors

6077 Calacatta Andes

Someone says that the color closest to nature is qualified to be called Calacatta. It combines natural purest Andes snow white with bright grayish veins stretching over the surface. Generally believed to be originated from the Quechua word anti, which means "East", Calacatta Andes is the dawn light breaking in the east and extending to its quartz surface.

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered


Size: Jumbo, Mega

Thickness: 20 MM, 30 MM

SLAB



PARTIAL



NATURAL COLLECTION

An extensive collection of natural patterned tones with inspirations of earth, marble, river and much more. With delicate and harmonious shades enrich unique space for striking effects. No matter long or short lines, complex or concise, Natural Collection catches and evokes the essence of nature.

5211 Stonehenge



Featured Colors**5015 Byron White**

Charcoal grey veins hit the milky surface as waves chase and race against each other, creating a flow of nature. Cascading Byron White animates such design to add a sense of movement and mystery.

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM

SLAB



PARTIAL





Featured Colors

5211 Stonehenge

Stonehenge offers a dove gray background with white zigzag short line veins, summoned up the sun rises on midsummer's day with lights strike upon the lofty circles of boulders on Salisbury Plain. It absorbs the aura of heaven and earth, holy and mysterious.


Pattern: Speckled, Veined

Finish: Leathered, Raw

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM

SLAB



PARTIAL



**Featured Colors****6020 Vatna White**

Subtle brown long lines veining crisscross on a glacier-white background gives an answer to what paradise looks like. Vatna white flows like ice on glaciers. Nature uses its unique craftsmanship to carefully sculpt the uneven landforms. Many large ice blocks of different shapes float on the lake. Time seems like still just now flowing water from the glacier froze into ice all of a sudden.

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



SLAB



PARTIAL





PARTIAL



Featured Colors

6139 Chillon Brown

Chillon Brown's fine ripple texture on the brown surface maintains a feeling of not time flying but traces of time that adds more elegance. This inspiration is connected to medieval Chillon Water Castle surrounded by glamorous Lake Geneva and the majestic Alps, shining as a pearl.

Pattern: Veined

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM

SLAB





PARTIAL



SLAB

Featured Colors

6317 Mt Blanc

No one can gain an insight into Mt Blanc's grandeur and magnificence when enfolded by a mist. Mt Blanc is set with clouds of mist in intricate black veins hanging on white snow mountain background. Mt Blanc is shimmering on high as what poet Percy Byshee Shelley wrote in the poem, "Far, far above, piercing the infinite sky, Mont Blanc appears, still, snowy, and serene. Its subject mountains their unearthly forms".

Pattern: Veined

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





6001 Copaca

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



6013 Misty Ville

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM




6038 Whitehaven

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



6067 Himalaya

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





6072 Nakuru Brown

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



6082 Calacatta Cloud

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





6085 Calacatta Glacier

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



6087 Tara River


Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





6088 Darling River

Pattern: Veined, Calacatta

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM




6112 Gorge Gray

Pattern: Veined

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM




6398 Mackinac Brown

Pattern: Veined

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





6501 Milford White

Pattern: Veined

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



6576 Canal White

Pattern: Veined

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



CLASSIC COLLECTION

Simple yet vintage, Classic Collection with a timeless look that never goes out of style. The modest monochromatic appearances add a touch of clean and seductive reverie for your exclusive spaces. Mirror flecks and grains patterns options offer a more subtle unique personality if a little special pattern on pure colors quartz is preferred.


1010 Tahiti White



Featured Colors

1010 Tahiti White

As innocent as white, Tahiti is a place close to heaven. Perhaps there is no more holy than white, no more pure than white, no more real than white. The place where the dream begins can only be felt with the heart. Tahiti White, a pure white surface, is the color away from the hustle and bustle. All you need to do is still and see.



Pattern: Fine Grained

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





Featured Colors

1100 Merapi Gray

Merapi Gray covers its quartz surface expanse with ash gray as its tonality. It calls to mind the scene of falling volcanic ash on the splendor of the gray world after the moment when the fiery magma broke through thousands of years of ice and snow, the soaring lava lits up the pitch-dark night sky.

Pattern: Fine Grained

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





3003 Moreno White

Pattern: Mixed Grains

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



3032 Rock Gray


Pattern: Mixed Grains

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





3041 Volcano Gray

Pattern: Mixed Grains

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM




7009 Sandy White

Pattern: Mixed Grains

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM





7045 Shell White

Pattern: Mixed Grains

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM




7027 Crystal White

Pattern: Mixed Grains, Mirror Flecks

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



7119 Ash Gray

Pattern: Mixed Grains, Mirror Flecks

Finish: Polished, Honed, Leathered

Size: Jumbo, Mega

Thickness: 20 MM, 30 MM



* Shade and veins of the actual product may vary from printed sample. We recommend ordering a sample or viewing a full slab at www.linnstone.com.

* Not all colors are available in all sizes and thicknesses.



PRODUCT INFO

Dimensions

Size	Dimension	Thickness	Weight*
Mega	139" (3530 MM) * 80" (2030 MM)	20 MM	344 kg / 759 lb
		30 MM	516 kg / 1138 lb
Jumbo	127" (3230 MM) * 64" (1630 MM)	20 MM	253 kg / 558 lb
		30 MM	379 kg / 836 lb

*Indicative weight, variable according to the specific weight of the slab.

Technical Data

Specifications	Test Method	Results
Water Absorption	ASTM C97	≤0.05%
Density	ASTM C97	2200 - 2400 KG/M ³
Flexural Strength	ASTM C880	Dry: 41.8 - 55.1 Mpa Wet: 47 - 62 Mpa
Compressive Strength	ASTM C170	Dry: 184 - 285 Mpa Wet: 192 - 272 Mpa
Modulus of Rupture	ASTM C99	Dry: 41.5 - 56.3 Mpa Wet: 43.1 - 55.5 Mpa
Bond Strength	ASTM C482	3.98 Mpa
Abrasion	ASTM C241	42 - 52
Freeze-Thaw Resistance	ASTM C1026	No obvious damage
Surface Burning	ASTM E84	Class A
Thermal Shock	ASTM C484	No visible defects
Thermal Conductivity	EN 12664:2001	0.469 - 0.504 W/(m·K)
Chemical Resistance	ASTM C650	Not affected

NOTE: The values quoted above are an average range of values of the different products tested and should be considered as an indication only.

*Pictures and information above are to be considered as indicative only. It cannot be copied, reproduced, or scanned in any way.

*All rights reserved.





linnstone